



**Combination Pliers**

NEW MODEL

- Chrome Vanadium Steel Material
- High-frequency hardened cutting edges for optimum power and durability
- Precision machined jaws, ideal for gripping, twisting and cutting
- Comfort double dipped, non-slip grip handle
- Manufacturing according to DIN ISO 5746



| ITEM NO.  | SIZE(inch) |    |    |
|-----------|------------|----|----|
| DBAB2206B | 6          | 10 | 40 |
| DBAB2207B | 7          | 10 | 40 |
| DBAB2208B | 8          | 10 | 40 |

**Professional Cutting & Gripping Pliers**

- Quality Tool Steel
- Precision Machined
- Duly Tempered and Hardened

**NEW MODEL**

**Long Nose Pliers**

NEW MODEL

- Chrome Vanadium Steel Material
- Serrated and rigid jaws, ideal for forming, bending, gripping and cutting works
- Individually high frequency induction hardened cutting edges for long service life
- Comfort double dipped, non-slip grip handle
- Manufacturing according to DIN ISO 5745



| ITEM NO.  | SIZE(inch) |    |    |
|-----------|------------|----|----|
| DFAB2206B | 6          | 10 | 40 |
| DFAB2208B | 8          | 10 | 40 |

**Heavy Duty Diagonal Cutting Pliers**

NEW MODEL

- Chrome Vanadium Steel Material
- High-leverage design, rivet is closer to the beveled cutting edge for optimum cutting power
- Individually high frequency induction hardened cutting edges for long service life
- Comfort double dipped, non-slip grip handle
- Manufacturing according to DIN ISO 5749



| ITEM NO.  | SIZE(inch) |    |    |
|-----------|------------|----|----|
| DEAC2207B | 7          | 10 | 40 |
| DEAC2208B | 8          | 10 | 40 |

**Long Round Nose Pliers**

NEW MODEL

- Chrome Vanadium Steel Material
- Precision ground, long round jaws with smooth tips
- Ideal for bending wire loops and hoops
- Comfort non-slip grip handle



| ITEM NO.  | SIZE(inch) |    |    |
|-----------|------------|----|----|
| DFAL2206B | 6          | 10 | 40 |

**Slant Edge Cutting Pliers with Wire Stripper**

NEW MODEL

- Drop Forged S50C Carbon Steel Material
- Hot-riveted joints ensures smooth cutting action and no handle wobble
- Suitable for cutting filament and copper wire of all electrical works and etc
- Comfort non-slip grip plastic handle



| ITEM NO.  | SIZE(inch) |    |    |
|-----------|------------|----|----|
| DEAA1206B | 6          | 10 | 40 |

**HIGH CUTTING CAPACITY PLIERS SERIES**

**Combination Pliers**

- Chrome Vanadium Steel Material
- Precision-hardened plier head for on-the-job toughness
- High-frequency hardened cutting edges for optimum power and durability
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DBAB2208 | 8          | 10 | 40 |

**Diagonal Cutting Pliers**

- Chrome Vanadium Steel Material
- Short jaws and beveled cutting edges permit close cutting of wire
- Hot-riveted joints ensures smooth action and no handle wobble
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DEAB2206 | 6          | 10 | 40 |

**High-Leverage Combination Pliers**

- Made of drop forged & heat treated chrome molybdenum alloy steel
- Improved lever action for greater cutting power with less effort
- Precision machined serrated jaws with induction hardened cutting edge
- Includes both flat and conduit gripping jaws for versatile use
- General purpose pliers for cutting Ø3.5mm soft wires, Ø2.0mm hard wires, Ø2.5mm cable wires & Ø3.0mm stainless steel wire



| ITEM NO. | SIZE(inch) |   |    |
|----------|------------|---|----|
| DBAC1209 | 9          | 6 | 72 |

**Heavy Duty Diagonal Cutting Pliers**

- Chrome Vanadium Steel Material
- High-leverage design, rivet is closer to the cutting edge for optimum cutting and gripping power
- Induction hardened cutting knives for long service life
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DEAC2208 | 8          | 10 | 40 |

**TOPTUL**  
Professional Cutting & Gripping Pliers

NEW  
MODEL





#### End Cutting Nippers

- Chrome Vanadium Steel Material
- Induction heat-treated cutting edges nip wire and protruding nails
- Sturdy head designed for maximum strength and leverage
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DJAA1208 | 8          | 10 | 40 |

#### Groove-Joint Water Pump Pliers

- Chrome Vanadium Steel Material
- 7-position groove joint adjustable head
- Strong self-gripping teeth for joints, fasteners and pipes
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DDAA1210 | 10         | 10 | 40 |

#### Carpenter's Pincers

- Chrome Vanadium Steel Material
- Induction hardened cutting edges
- Sturdy head design for maximum strength and leverage
- Suitable to grip and extract nails/tacks without cutting
- Comfortable non-slip grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DOAA1208 | 8          | 10 | 50 |



#### Tower Pincers

- Chrome Molybdenum Steel Material
- Induction heat-treated cutting edges nip wire and protruding nails
- Sturdy head designed for maximum strength and leverage
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DJAA1210 | 10         | 10 | 40 |



#### Tower Pincers

- Chrome Molybdenum Steel Material
- Induction hardened cutting edges nip wire and protruding nails easily
- Sturdy head design for maximum strength and leverage
- To twist and cut wire in one operation
- Maximum cutting capacity: Ø1.6mm (medium hard wires and nails)



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DJAA0110 | 10         | 10 | 40 |



#### Cable Cutter

- Chrome Vanadium Steel Material
- Professional heat treated & machined cutting edge
- Shear action for a clean, precise cut
- Comfortable double plastic-coated grip handle
- Cut copper and aluminum cable
- Notched end for stripping wires



| ITEM NO. | MAX. CUTTING CAPACITY (mm²) | L (inch) |   |     |
|----------|-----------------------------|----------|---|-----|
| DNAA1206 | 22                          | 6        | 6 | 120 |

#### Cable Cutter

- Chrome Vanadium Steel Material
- Induction hardened cutting edge
- Shear action for a clean, precise cut
- Comfortable double plastic-coated grip handle
- Cut copper and aluminum cable
- Notched end for stripping wires



| ITEM NO. | MAX. CUTTING CAPACITY (mm²) | L (inch) |   |    |
|----------|-----------------------------|----------|---|----|
| DNAA1208 | 38                          | 8        | 6 | 72 |

#### Cable Cutter

- Chrome Vanadium Steel Material
- Induction hardened cutting edge
- Shear action for a clean, precise cut
- Comfortable double plastic-coated grip handle



| ITEM NO. | MAX. CUTTING CAPACITY (mm²) | L (inch) |   |    |
|----------|-----------------------------|----------|---|----|
| DNAA1210 | 60                          | 10       | 6 | 48 |

#### Heavy Duty Wire Cutter

- Chrome Vanadium Steel Material
- Induction hardened cutting edge
- Steel opening spring for long service life
- Comfortable double plastic-coated grip handle
- High cutting capacity up to 4.0mm soft/medium wire, 3.0mm hard wire and 2.0mm steel wire



| ITEM NO. | LENGTH(mm) |   |    |
|----------|------------|---|----|
| SBAF0804 | 200 (8")   | 6 | 72 |

#### Slip Joint Pliers

- Chrome Vanadium Steel Material
- High precision milling smooth jaws for extra grip and ease of handling
- Serrated and accurately machined jaws provide a firm grip on the objects
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DHAA1208 | 8          | 10 | 40 |

#### Long Reach Nose Pliers

CR-MO



| ITEM NO. | BENDING(Degree) | SIZE(inch) |    |    |
|----------|-----------------|------------|----|----|
| DFAI1211 | 90°             | 11         | 10 | 40 |
| DFAH1211 | 45°             | 11         | 10 | 40 |
| DFAG1211 | 0°              | 11         | 10 | 40 |

#### Long Hose Gripper Pliers

CR-MO



| ITEM NO. | HEAD(inch) | SIZE(inch) |    |    |
|----------|------------|------------|----|----|
| DFAD1211 | 5/16       | 11         | 10 | 40 |
| DFAE1211 | 1/2        | 11         | 10 | 40 |
| DFAF1211 | 3/4        | 11         | 10 | 40 |



## Pliers

### Retaining Ring Pliers

#### 90° Retaining Ring Pliers

(External Ring)

- Heavy duty model for continuous and intensive operation
- Rigid and precision machined ball-bearing steel tips
- Drop forged, hardened and tempered tool steel body
- Slim pliers head for easy access to workpieces
- Large, easy fitting contact tips prevent circlips from deformation
- Internal invisible spring assisted opening
- Non-slip, comfort plastic coating handles
- Manufacturing according to DIN 5254 Form B



For external ring,  
19 to 60 mm diameter

Internal invisible  
spring-assisted  
opening mechanism

Sturdy, inserted ball  
bearing steel tips

| ITEM NO. | SIZE(inch) | CAPACITY(Ø) |    |    |
|----------|------------|-------------|----|----|
| DCBA1307 | 7          | 19-60mm     | 10 | 40 |

- NEW

#### Straight Retaining Ring Pliers

(External Ring)

- Heavy duty model for continuous and intensive operation
- Rigid and precision machined ball-bearing steel tips
- Drop forged, hardened and tempered tool steel body
- Slim pliers head for easy access to workpieces
- Large, easy fitting contact tips prevent circlips from deformation
- Internal invisible spring assisted opening
- Non-slip, comfort plastic coating handles
- Manufacturing according to DIN 5254 Form A



For external ring,  
19 to 60 mm diameter

Internal invisible  
spring-assisted  
opening mechanism

Sturdy, inserted ball  
bearing steel tips

| ITEM NO. | SIZE(inch) | CAPACITY(Ø) |    |    |
|----------|------------|-------------|----|----|
| DCBB1307 | 7          | 19-60mm     | 10 | 40 |

- NEW

#### Straight Retaining Ring Pliers

(Internal Ring)

#### 90° Retaining Ring Pliers

(Internal Ring)

- Heavy duty model for continuous and intensive operation
- Rigid and precision machined ball-bearing steel tips
- Drop forged, hardened and tempered tool steel body
- Slim pliers head for easy access to workpieces
- Large, easy fitting contact tips prevent circlips from deformation
- Internal invisible spring assisted opening
- Non-slip, comfort plastic coating handles
- Manufacturing according to DIN 5256 Form D



For internal ring,  
19 to 60 mm diameter

Internal invisible  
spring-assisted  
opening mechanism

Sturdy, inserted ball  
bearing steel tips

| ITEM NO. | SIZE(inch) | CAPACITY(Ø) |    |    |
|----------|------------|-------------|----|----|
| DCBC1307 | 7          | 19-60mm     | 10 | 40 |

- NEW

#### Straight Retaining Ring Pliers

(Internal Ring)

- Heavy duty model for continuous and intensive operation
- Rigid and precision machined ball-bearing steel tips
- Drop forged, hardened and tempered tool steel body
- Slim pliers head for easy access to workpieces
- Large, easy fitting contact tips prevent circlips from deformation
- Internal invisible spring assisted opening
- Non-slip, comfort plastic coating handles
- Manufacturing according to DIN 5256 Form C



For internal ring,  
19 to 60 mm diameter

Internal invisible  
spring-assisted  
opening mechanism

Sturdy, inserted ball  
bearing steel tips

| ITEM NO. | SIZE(inch) | CAPACITY(Ø) |    |    |
|----------|------------|-------------|----|----|
| DCBD1307 | 7          | 19-60mm     | 10 | 40 |

#### 90° Retaining Ring Pliers

(External Ring)

- Chrome Vanadium Steel Material
- Spring-assisted opening for outside circlip
- Anti-slip, turned tips
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) | CAPACITY(Ø) |    |    |
|----------|------------|-------------|----|----|
| DCAA1205 | 5          | 10-25mm     | 10 | 40 |
| DCAA1207 | 7          | 19-60mm     | 10 | 40 |
| DCAA1209 | 9          | 40-100mm    | 10 | 40 |
| DCAA1212 | 12         | 85-140mm    | 4  | 24 |

#### 90° Retaining Ring Pliers

(Internal Ring)

- Chrome Vanadium Steel Material
- Spring-assisted opening for inside circlip
- Anti-slip, turned precision tips
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) | CAPACITY(Ø) |    |    |
|----------|------------|-------------|----|----|
| DCAC1205 | 5          | 12-25mm     | 10 | 40 |
| DCAC1207 | 7          | 19-60mm     | 10 | 40 |
| DCAC1209 | 9          | 40-100mm    | 10 | 40 |

#### 90° Retaining Ring Pliers

(Internal Ring)

- Chrome Vanadium Steel Material
- For inside circlips
- Anti-slip, turned tips
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) | CAPACITY(Ø) |   |    |
|----------|------------|-------------|---|----|
| DCAC1212 | 12         | 85-140mm    | 4 | 24 |

#### Straight Retaining Ring Pliers

(External Ring)

- Chrome Vanadium Steel Material
- Spring-assisted opening for outside circlip
- Anti-slip, turned tips
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) | CAPACITY(Ø) |    |    |
|----------|------------|-------------|----|----|
| DCAB1205 | 5          | 10-25mm     | 10 | 40 |
| DCAB1207 | 7          | 19-60mm     | 10 | 40 |
| DCAB1209 | 9          | 40-100mm    | 10 | 40 |
| DCAB1212 | 12         | 85-140mm    | 6  | 36 |

#### Straight Retaining Ring Pliers

(Internal Ring)

- Chrome Vanadium Steel Material
- Spring-assisted opening for inside circlip
- Anti-slip, turned precision tips
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) | CAPACITY(Ø) |    |    |
|----------|------------|-------------|----|----|
| DCAD1205 | 5          | 12-25mm     | 10 | 40 |
| DCAD1207 | 7          | 19-60mm     | 10 | 40 |
| DCAD1209 | 9          | 40-100mm    | 10 | 40 |

#### Straight Retaining Ring Pliers

(Internal Ring)

- Chrome Vanadium Steel Material
- For inside circlips
- Anti-slip, turned tips
- Comfort non-slip grip handle



| ITEM NO. | SIZE(inch) | CAPACITY(Ø) |   |    |
|----------|------------|-------------|---|----|
| DCAD1212 | 12         | 85-140mm    | 6 | 36 |



## Retaining Ring Pliers Set

4PCS

Retaining Ring Pliers Set



| ITEM NO. | CONTENTS   | 20 (SET) |
|----------|--|----------|
| GPAQ0401 | 1 DCAB1207<br>Straight Retaining Ring Pliers<br>(External Ring) - 7" |          |
|          | 1 DCAD1207<br>Straight Retaining Ring Pliers<br>(Internal Ring) - 7" |          |
|          | 1 DCAA1207<br>90° Retaining Ring Pliers<br>(External Ring) - 7"      |          |
|          | 1 DCAC1207<br>90° Retaining Ring Pliers<br>(Internal Ring) - 7"      |          |

- NEW

4PCS

Retaining Ring Pliers Set



| ITEM NO. | CONTENTS   | 20 (SET) |
|----------|--|----------|
| GPAQ0402 | 1 DCBB1307<br>Straight Retaining Ring Pliers<br>(External Ring) - 7" |          |
|          | 1 DCBD1307<br>Straight Retaining Ring Pliers<br>(Internal Ring) - 7" |          |
|          | 1 DCBA1307<br>90° Retaining Ring Pliers<br>(External Ring) - 7"      |          |
|          | 1 DCBC1307<br>90° Retaining Ring Pliers<br>(Internal Ring) - 7"      |          |

- NEW


4PCS

Mini Retaining Ring Pliers Set

- Chrome Molybdenum Steel Material
- Mini-size design for easy access into tight spaces
- Spring-assisted opening for internal / external circlip
- Tip size: 0.038" (1mm) diameter
- Circlip size: 10 - 22mm in diameter
- Comfort non-slip grip handle



■ Blister



| ITEM NO. | CONTENTS   | 12 (SET) |
|----------|--|----------|
| GAAR0403 | 1 Mini 45° Retaining Ring Plier<br>(External Ring) - 3"      |          |
|          | 1 Mini Straight Retaining Ring Plier<br>(External Ring) - 3" |          |
|          | 1 Mini 45° Retaining Ring Plier<br>(Internal Ring) - 3"      |          |
|          | 1 Mini Straight Retaining Ring Plier<br>(Internal Ring) - 3" |          |

## NEW MODEL

Combination Pliers

NEW MODEL

- Made of drop forged Chrome Molybdenum Alloy Steel
- Precision hardened pliers head for on-the-job toughness
- High-frequency hardened cutting edges for optimum power and durability
- Bi-component ergonomic comfort-grip handle



| ITEM NO.  | SIZE(inch) | 10 | 40 |
|-----------|------------|----|----|
| DBBB2207B | 7          |    |    |

Diagonal Cutting Pliers

NEW MODEL

- Made of drop forged Chrome Molybdenum Alloy Steel
- Short jaws and beveled cutting edges permit close cutting of wire
- Hot-rivet joint ensures smooth action and no handle wobble
- Induction-hardened cutting edges for optimum power and durability
- Bi-component ergonomic comfort-grip handle



| ITEM NO.  | SIZE(inch) | 10 | 40 |
|-----------|------------|----|----|
| DEBB2206B | 6          |    |    |

Heavy Duty Diagonal Cutting Pliers

NEW MODEL

- Made of drop forged Chrome Molybdenum Alloy Steel
- High-leverage design, rivet is closer to the cutting edge for optimum cutting power
- Induction-hardened cutting edges for optimum power and durability
- Bi-component ergonomic comfort-grip handle



| ITEM NO.  | SIZE(inch) | 10 | 40 |
|-----------|------------|----|----|
| DEBC2207B | 7          |    |    |







## Professional Series

# Wire Rope Cutter

- Chrome Molybdenum Alloy Steel
- Induction heat treated cutting edges for cutting solid materials and multi-strand cables
- Shear-cut and angled blade for clean and sharp cut
- Invisible spring loaded cutting action for easy one handed operation
- Comfortable, anti-slip TPR material plastic soft grip handle
- Max. Cutting Capacity (Diam.): 4mm wire rope & 1.5mm spring wire



**Professional Series**  
**Wire Rope Cutter**



| ITEM NO. | MAX. CUTTING CAPACITY (DIAM.) | SIZE (inch) | Box | Carton |
|----------|-------------------------------|-------------|-----|--------|
| DNCA227E | 4                             | 7-1/2       | 10  | 40     |

### Pro-Series

#### Double Hi-Leverage Combination Pliers

- Premium tool steel pliers head for superior strength and durability
- Induction hardened & precision machined cutting edges
- Heat treated robust CR-MO joint rivet for smooth and consistent operation
- Double high-leverage design increases cutting power by 60%
- Spring-loaded return for quick repetitive opening
- 1/3 lighter than standard pliers reduces hand fatigue
- Safety lock keeps pliers securely closed when not in use
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



| ITEM NO. | SIZE (inch) | Box | Carton |
|----------|-------------|-----|--------|
| DBBE2208 | 8           | 10  | 40     |

### Pro-Series

#### Double Hi-Leverage Diagonal Cutting Pliers

- Premium tool steel pliers head for superior strength and durability
- Induction hardened & precision machined cutting edges
- Heat treated robust CR-MO joint rivet for smooth and consistent operation
- Double high-leverage design increases cutting power by 60%
- Spring-loaded return for quick repetitive opening
- 1/3 lighter than standard pliers reduces hand fatigue
- Safety lock keeps pliers securely closed when not in use
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



| ITEM NO. | SIZE (inch) | Box | Carton |
|----------|-------------|-----|--------|
| DEBF2207 | 7           | 10  | 40     |

### Pro-Series

#### Double Hi-Leverage Long Nose Pliers

- Premium tool steel pliers head for superior strength and durability
- Induction hardened & precision machined cutting edges
- Serrated and rigid jaws, ideal for forming, bending works
- Heat treated robust CR-MO joint rivet for smooth and consistent operation
- Double high-leverage design increases cutting power by 60%
- Spring-loaded return for quick repetitive opening
- 1/3 lighter than standard pliers reduces hand fatigue
- Safety lock keeps pliers securely closed when not in use
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



| ITEM NO. | SIZE (inch) | Box | Carton |
|----------|-------------|-----|--------|
| DFBE228E | 8-1/2       | 10  | 40     |

### Combination Pliers

- Chrome Molybdenum Steel Material
- Precision-hardened pliers head for on-the-job toughness
- High-frequency hardened cutting edges for optimum power and durability
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE (inch) | Box | Carton |
|----------|-------------|-----|--------|
| DBBB2206 | 6           | 10  | 40     |
| DBBB2207 | 7           | 10  | 40     |
| DBBB2208 | 8           | 10  | 40     |

### Long Nose Pliers

- Chrome Molybdenum Steel Material
- High-frequency hardened cutting edges for optimum power and durability
- Serrated and rigid jaws, ideal for forming, bending and precision assembly works
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE (inch) | Box | Carton |
|----------|-------------|-----|--------|
| DFBB2206 | 6           | 10  | 40     |
| DFBB2208 | 8           | 10  | 40     |

### Flat Nose Pliers

- Chrome Molybdenum Steel Material
- High precision milling smooth jaws for extra grip and ease of handling
- Serrated and accurately machined flat jaws provide a firm grip on the objects
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE (inch) | Box | Carton |
|----------|-------------|-----|--------|
| DFBC2206 | 6           | 10  | 40     |





## Pliers

## ■ Heavy Duty Diagonal Cutting Pliers

- Chrome Molybdenum Steel Material
- High-leverage design, rivet is closer to the cutting edge for optimum cutting and gripping power
- Induction hardened cutting knives for long service life
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DEBC2207 | 7          | 10 | 40 |
| DEBC2208 | 8          | 10 | 40 |

## ■ Diagonal Cutting Pliers

- Chrome Molybdenum Steel Material
- Short jaws and beveled cutting edges permit close cutting of wire
- Hot-riveted joints ensures smooth action and no handle wobble
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DEBB2206 | 6          | 10 | 40 |

## ■ Heavy Duty End Cutting Nippers

- Chrome Molybdenum Steel Material
- High-leverage design provides exceptional cutting of hard and soft wire, bolts, nails, rivets and pins
- Induction hardened precision cutting edges ensures for long service life
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DJBA2206 | 6          | 10 | 40 |
| DJBA2208 | 8          | 10 | 40 |

## ■ Bent Nose Pliers

- Chrome Molybdenum Steel Material
- Bent nose with 45° slang for easy operation in complicated working space
- Serrated and rigid jaws, ideal for forming, bending and precision assembly works
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DFBA2206 | 6          | 10 | 40 |
| DFBA2208 | 8          | 10 | 40 |

## ■ Combination Slip-Joint Pliers (with wire cutter)

- Made of robust Chrome Molybdenum Alloy Steel
- Slim head design for easy access
- Diamond serrated jaws for more gripping power
- High-Frequency hardened cutting edge for long working life
- Precision machined jaws for maximum gripping and turning
- Cutting Capacity: Up to Ø1.6mm medium hard wire
- Ergonomic designed, non-slip TPE+TPR plastic grip handles



• DHBB2208



• DHBB2210



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DHBB2208 | 8          | 10 | 40 |
| DHBB2210 | 10         | 10 | 40 |

## ■ Box-Joint Water Pump Pliers

- Chrome Molybdenum Steel Material
- Optimum lever action with 7-position adjustment
- Heavy duty box-joint design, self-gripping teeth for joints, nuts and pipes
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DDBA2210 | 10         | 10 | 40 |

## ■ 3PCS Pliers Set



| ITEM NO. | CONTENTS  |  | 8 (SET) |
|----------|---|--|---------|
| GAAE0304 | 1 DBBB2207<br>Combination Pliers - 7"<br>1 DEBC2207<br>Heavy Duty Diagonal Cutting Pliers - 7"<br>1 DFBB2208<br>Long Nose Pliers - 8" |  |         |

## Pliers Set

## ■ 3PCS Pliers Set



| ITEM NO. | CONTENTS   |  | 8 (SET) |
|----------|--|--|---------|
| GAAE0302 | 1 DEBB2206<br>Diagonal Cutting Pliers - 6"<br>1 DBBB2207<br>Combination Pliers - 7"<br>1 DFBB2208<br>Long Nose Pliers - 8" |  |         |

## ■ 3PCS Pliers Set



| ITEM NO. | CONTENTS  |  | 8 (SET) |
|----------|---|--|---------|
| GAAE0307 | 1 DBBB2208<br>Combination Pliers - 8"<br>1 DEBC2208<br>Heavy Duty Diagonal Cutting Pliers - 8"<br>1 DFBB2208<br>Long Nose Pliers - 8" |  |         |

## ■ 3PCS Pliers Set



| ITEM NO. | CONTENTS  |  | 8 (SET) |
|----------|---|--|---------|
| GAAE0303 | 1 DBBB2207<br>Combination Pliers - 7"<br>1 DFBB2208<br>Long Nose Pliers - 8"<br>1 DDBA2210<br>Box-Joint Water Pump Pliers - 10" |  |         |

## ★ ■ 4PCS Pliers Set



| ITEM NO. | CONTENTS   |  | 8 (SET) |
|----------|--|--|---------|
| GAAE0402 | 1 DBBB2207<br>Combination Pliers - 7"<br>1 DEBC2207<br>Heavy Duty Diagonal Cutting Pliers - 7"<br>1 DFBB2208<br>Long Nose Pliers - 8"<br>1 DDBA2210<br>Box-Joint Water Pump Pliers - 10" |  |         |



**TOPTUL**  
Pliers Series




## 267 Pliers Pro-Series Electronics Pliers

### Pro-Series

#### Electronics Long Nose Pliers

- Chrome Molybdenum Steel Material
- Induction hardened & precision machined cutting edges
- Spring-loaded return for quick repetitive opening
- Serrated and rigid jaw, ideal for forming, bending and precision assembly work
- Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DFCJ2206 | 6          | 14 | 56 |

### Pro-Series

#### Electronics End Cutter Pliers

- Chrome Molybdenum Steel Material
- Induction hardened & precision machined cutting edges
- Spring-loaded return for quick repetitive opening
- Sturdy cutting head design for maximum strength and suits for virtually flush cutting work
- Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control




| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DJCB2205 | 5          | 10 | 40 |

### Pro-Series

#### Electronics Diagonal Cutting Pliers

- Chrome Molybdenum Steel Material
- Induction hardened & precision machined cutting edges
- Spring-loaded return for quick repetitive opening
- Short Jaws and beveled cutting edges permit close cutting of wire
- Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DECD2205 | 5          | 10 | 40 |

### Pro-Series

#### Electronics Combination Pliers

- Chrome Molybdenum Steel Material
- Induction hardened & precision machined cutting edges
- Spring-loaded return for quick repetitive opening
- Serrated and machined flat jaw provide a firm grip on the most objects
- Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control




| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DBCC2205 | 5          | 10 | 40 |

### Pro-Series

#### Electronics Bent Nose Pliers

- High grade special tool steel material
- Precision-hardened pliers head for on-the-job toughness
- Non-Teeth design to prevent surface damage on the object
- Spring-loaded return for quick repetitive opening
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DFCK2206 | 6          | 14 | 56 |

### Pro-Series

#### Electronics Flat Nose Pliers

- High grade special tool steel material
- Precision-hardened pliers head for on-the-job toughness
- Non-Teeth design to prevent surface damage on the object
- Spring-loaded return for quick repetitive opening
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control




| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DFCC2206 | 6          | 14 | 56 |

### Pro-Series

#### Electronics Needle Nose Pliers

- High grade special tool steel material
- Precision-hardened pliers head for on-the-job toughness
- Non-Teeth design to prevent surface damage on the object
- Spring-loaded return for quick repetitive opening
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DFCN2206 | 6          | 14 | 56 |

### Pro-Series

#### Electronics Round Nose Pliers

- High grade special tool steel material
- Professional heat treated and machined nose
- Ideal for precision gripping and bending work in the electronic and mechanical sector
- Spring-loaded return for quick repetitive opening
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



\* Suitable for forming and bending wire

| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DFCL2205 | 5          | 10 | 40 |



## Pliers Electronics Pliers

### Electronics

#### Combination Pliers

- High precision-machined jaws
- Spring-assisted opening design
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DBBC2205 | 5          | 10 | 40 |

### Electronics

#### Long Nose Pliers

- High precision-machined jaws
- Spring-assisted opening design
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DFBJ2205 | 5          | 10 | 40 |

### Electronics

#### Diagonal Cutting Pliers

- High precision-machined jaws
- Spring-assisted opening design
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DEBD2204 | 4          | 10 | 40 |

### Electronics

#### End Cutter Pliers

- High precision-machined jaws
- Spring-assisted opening design
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DJBB2204 | 4          | 10 | 40 |

### Electronics

#### Bent Nose Pliers

- High precision-machined jaws
- Spring-assisted opening design
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DFBK2205 | 5          | 10 | 40 |

### Mini Side Cutter Pliers

- Made of heat treated, hardened 3mm thick Stainless Steel
- Precision machined jaws for maximum cutting power
- Superior access in tight-fit applications
- Smooth spring return action jaws for quick cut and reduce the operational fatigue
- Environmentally friendly, non-slip PVC comfort grip handles



| ITEM NO. | SIZE(Inch) |   |     |
|----------|------------|---|-----|
| DEBE204E | 4.5        | 6 | 120 |



**TOPTUL**  
High precision-machined  
Electronics Pliers

## VDE Insulated

TOPTUL Certified Insulated Pliers Series  
Produced in accordance with DIN EN/IEC 60900  
Up to 1000V AC & 1500V DC Electrical Safety



**1000V**  
IEC 60900

### 3PCS

VDE Insulated Pliers Set



| ITEM NO. | CONTENTS                                   |         |
|----------|--|---------|
| GAAE0301 | 1 DGBA2107                                 | 8 (SET) |
|          | VDE Insulated Combination Pliers - 7"      |         |
|          | 1 DGBB2108                                 |         |
|          | VDE Insulated Long Nose Pliers - 8"        |         |
|          | 1 DGBC2106                                 |         |
|          | VDE Insulated Diagonal Cutting Pliers - 6" |         |

### VDE Insulated

#### Long Nose Pliers

- Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- High-frequency hardened cutting edges for optimum power and durability
- Serrated and rigid jaws, ideal for forming, bending and precision assembly works
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DGBB2106 | 6          | 10 | 40 |
| DGBB2108 | 8          | 10 | 40 |

### VDE Insulated

#### Combination Pliers

- Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- Precision-hardened pliers head for on-the-job toughness
- High-frequency hardened cutting edges for optimum power and durability
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DGBA2106 | 6          | 10 | 40 |
| DGBA2107 | 7          | 10 | 40 |
| DGBA2108 | 8          | 10 | 40 |



### VDE Insulated

#### Diagonal Cutting Pliers

- Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- Short jaws and beveled cutting edges permit close cutting of wire
- Hot-riveted joints ensures smooth action and no handle wobble
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DGBC2106 | 6          | 10 | 40 |

### VDE Insulated

#### Wire Stripping Pliers

- Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- Induction hardened long life stripping edges
- Easy lockable adjusting screw for setting the desired diameter up to Ø4.5mm
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DGBD2106 | 6          | 10 | 40 |

### VDE Insulated


#### Box-Joint Water Pump Pliers

- Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- Optimum lever action with 7-position adjustment
- Heavy duty box-joint design, self-gripping teeth for joints, nuts and pipes
- Ergonomic comfort-grip handle



| ITEM NO. | SIZE(Inch) |    |    |
|----------|------------|----|----|
| DGBE2110 | 10         | 10 | 40 |





- Crimping tool set with ratcheting function and adjustable jaws
- Includes 5 exchangeable crimping jaws
- Insulated terminal ends DIN 0.5-6mm<sup>2</sup>
- Non-insulated terminal ends DIN 1.5-10mm<sup>2</sup>
- Open-barrel terminal ends DIN 0.5-6mm<sup>2</sup>
- Insulated cord-End Terminals ends DIN 0.5-4.0mm<sup>2</sup> (for small size)
- Insulated cord-End Terminals ends DIN 6-16mm<sup>2</sup> (for large size)

#### 6PCS

#### Quick Interchangeable Ratchet Crimping Tool Kit

- Ratchet mechanism crimper stands for superior labor saving
- Quick insertion changing of jaw without any tool
- Professional AISI 4140 Alloy Steel Crimping Jaws
- Ergonomic comfort-grip handle




| ITEM NO.                          | CONTENTS   | 10 (SET) |
|-----------------------------------|--|----------|
| <b>GAAI0605</b>                   | <b>1 DKBA2222</b><br>Quick Interchangeable Ratchet Crimper<br><b>1 DLAA0601</b><br>Insulated Terminal<br>DIN 0.5-1.0/1.5-2.5/4-6 mm <sup>2</sup><br><b>1 DLAA1001</b><br>Non-Insulated Terminal<br>DIN 1.5/2.5/6/10 mm <sup>2</sup><br><b>1 DLAA0602</b><br>Open-Barrel Terminal<br>DIN 0.5-1.0/1.5-2.5/4-6 mm <sup>2</sup><br><b>1 DLAA0401</b><br>Insulated Cord-End Terminal (for small size)<br>DIN 0.5/0.75/1.0/1.5/2.5/4.0 mm <sup>2</sup><br><b>1 DLAA1601</b><br>Insulated Cord-End Terminal (for large size)<br>DIN 6/10/16 mm <sup>2</sup> |          |
| BLOW CASE: W280 x D195 x H50 (mm) |  |          |

| A | Jaw for insulated terminal | B | Jaw for non-insulated terminal | C | Jaw for open-barrel terminal | D | Jaw for cord-end insulated terminal (For small size) | F | Jaw for cord-end insulated terminal (For large size) |
|---|----------------------------|---|--------------------------------|---|------------------------------|---|--|---|--|
|---|----------------------------|---|--------------------------------|---|------------------------------|---|--|---|--|



#### Surface treatment

- Procedure: Precision and Wax-lost Casting.
- Treatment: Finished with heat treatment (HRC 38 - 45).
- Zinc Phosphate Surface Treatment.



#### Material


- Material: AISI 4140.

#### Suitable for

- AWG 22-18/16-14/12-10
- DIN 0.5-1.0/1.5-2.5/4-6mm<sup>2</sup>

#### Surface treatment

- Procedure: Precision and Wax-lost Casting.
- Treatment: Finished with heat treatment (HRC 38 - 45).
- Zinc Phosphate Surface Treatment.



#### Material


- Material: AISI 4140.

#### Suitable for

- AWG 20-18/16-14/12-10/8
- DIN 1.5/2.5/6/10mm<sup>2</sup>
- JIS 1.25/2.5/5/8mm<sup>2</sup>

#### Surface treatment

- Procedure: Precision and Wax-lost Casting.
- Treatment: Finished with heat treatment (HRC 38 - 45).
- Zinc Phosphate Surface Treatment.



#### Material


- Material: AISI 4140.

#### Suitable for

- AWG 20-18/16-14/12-10
- DIN 0.5-1.0/1.5-2.5/4-6mm<sup>2</sup>

#### Surface treatment

- Procedure: Precision and Wax-lost Casting.
- Treatment: Finished with heat treatment (HRC 38 - 45).
- Zinc Phosphate Surface Treatment.



#### Material

- Material: AISI 4140.

#### Suitable for

- AWG 22/20/18/16/14/12
- DIN 0.5/0.75/1.0/1.5/2.5/4.0mm<sup>2</sup>

#### Surface treatment

- Procedure: Precision and Wax-lost Casting.
- Treatment: Finished with heat treatment (HRC 38 - 45).
- Zinc Phosphate Surface Treatment.



#### Material

- Material: AISI 4140.

#### Suitable for

- AWG 10/8/6
- DIN 6/10/16 mm<sup>2</sup>

#### Automatic Wire Stripper

- NEW

- Sliding cross-block design for easy set-up the desired length from 5-12mm
- Ideal for stripping wires diameter from 0.2- 6.0mm<sup>2</sup> (24-10AWG)
- Hardened steel blades provide extra strength and longer life
- Trigger-actuated design provides fast & easy stripping wires
- Lightweight, ergonomic design is constructed from reinforced fiberglass & Nylon




| ITEM NO.        | CAPACITY (mm <sup>2</sup> ) | L (mm) | 10 | 60 |
|-----------------|-----------------------------|--------|----|----|
| <b>DICA1306</b> | 0.2 - 6.0 (AWG 24~10)       | 190    | 10 | 60 |

#### Multi-Purpose Crimping Pliers



| ITEM NO.        | CAPACITY  | 10 |
|-----------------|---|----|
| <b>DIBB2009</b> | Insulated terminals 1.5, 2.5, 4, 6 mm <sup>2</sup><br>Bolt cutter M2.6, M3, M3.5, M4, M5<br>Open barrel terminals 1.5, 2.5, 4-6 mm <sup>2</sup><br>Wire stripper 0.75, 1.0, 1.5, 2.5, 4.0, 6.0 mm <sup>2</sup><br>(with integral wire-cutter) |    |

#### Ratchet Crimping Tool for Non-Insulated Terminal



- Expert quality, chrome molybdenum steel with hardened and tempered jaws
- Continuous crimping at preset tension ensures accurate and effective crimp
- Ratchet action ensures consistent crimp tension
- Comfortable and soft plastic anti-slip grip handle
- Suitable for most non-insulated terminals

| ITEM NO.       | CAPACITY (mm <sup>2</sup> ) | L (mm) | 6 | 72 |
|----------------|-----------------------------|--------|---|----|
| <b>DKB2307</b> | 1.25 - 2 - 3.5 (AWG 22-12)  | 170    | 6 | 72 |

#### Wire Stripping Pliers

- Chrome Molybdenum Steel Material
- Induction hardened long life stripping edges
- Easy lockable adjusting screw for setting the desired diameter up to Ø4.5mm
- Ergonomic comfort-grip handle




| ITEM NO.        | SIZE (inch) | 10 | 40 |
|-----------------|-------------|----|----|
| <b>DIBA2206</b> | 6           | 10 | 40 |

#### Multi-Purpose Crimping Pliers



| ITEM NO.        | CAPACITY  | 10 |
|-----------------|---|----|
| <b>DIBB1009</b> | Insulated terminals 1.5, 2.5, 4, 6 mm <sup>2</sup><br>Bolt cutter M2.6, M3, M3.5, M4, M5<br>Non-insulated terminals 1.5, 2.5, 4-6 mm <sup>2</sup><br>Wire stripper 0.75, 1.0, 1.5, 2.5, 4.0, 6.0 mm <sup>2</sup><br>(with integral wire-cutter) |    |

#### Ratchet Crimping Tool for Non-Insulated Terminal



- Expert quality, chrome molybdenum steel with hardened and tempered jaws
- Continuous crimping at preset tension ensures accurate and effective crimp
- Ratchet action ensures consistent crimp tension
- Comfortable and soft plastic anti-slip grip handle
- Suitable for most non-insulated terminals

| ITEM NO.       | CAPACITY (mm <sup>2</sup> )       | L (mm) | 1 | 12 |
|----------------|-----------------------------------|--------|---|----|
| <b>DKB2315</b> | 5.5 - 8 - 14 - 22 - 38 (AWG 12-2) | 380    | 1 | 12 |





#### ■ Locking Chain Clamp

- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Adjustable locking pliers design chain clamp
- Nickel plated finish



| ITEM NO. | CHAIN LENGTH (inch) | HANDLE (inch) |   |    |
|----------|---------------------|---------------|---|----|
| DMAB1A18 | 18                  | 9             | 6 | 24 |

#### ■ Claw-Grip Locking Pliers

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- Powerful non-slip grip for all kinds of clamping jobs
- Ideal for hard to reach areas
- Nickel plated finish



| ITEM NO. | SIZE (inch) |    |    |
|----------|-------------|----|----|
| DMAE1A06 | 6           | 10 | 50 |

#### ■ Parrot Nose Locking Pliers with Sawteeth

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- Strong sawteeth designed jaw to clamp the screws especially on round ones
- Ideal for clamping plumbing and round-off screws removal
- Nickel plated finish



| ITEM NO. | SIZE (inch) |    |    |
|----------|-------------|----|----|
| DMAD1A09 | 9           | 10 | 50 |

#### ■ Deep Throat Claw-Grip Locking Pliers

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- Powerful non-slip grip for all kinds of clamping jobs
- Ideal for hard to reach areas
- Nickel plated finish



| ITEM NO. | SIZE (inch) |    |    |
|----------|-------------|----|----|
| DMAF1A06 | 6           | 10 | 60 |





#### ■ C-Clamp Locking Pliers with Swivel Pads

- High quality, mighty CR-MO jaw
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Wide jaws provide access to hard to reach areas
- Ideal for clamping angle iron and awkward pieces
- Also useful in metalworking and auto body repair
- Nickel plated finish



| ITEM NO. | SIZE (inch) |    |    |
|----------|-------------|----|----|
| DMAA1A06 | 6           | 12 | 72 |




#### ■ C-Clamp Locking Pliers with Swivel Pads

- High quality, mighty CR-V jaw
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Ideal for clamping angle iron and awkward pieces
- Nickel plated finish



| ITEM NO. | SIZE (inch) |   |    |
|----------|-------------|---|----|
| DMAA1A11 | 11          | 6 | 24 |
| DMAA1A18 | 18          | 5 | 20 |



#### ■ C-Clamp Locking Pliers with Standard Tip

- High quality, mighty CR-V jaw
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Ideal for clamping angle iron and awkward pieces
- Nickel plated finish



| ITEM NO. | SIZE (inch) |   |    |
|----------|-------------|---|----|
| DAAU1A11 | 11          | 5 | 20 |

#### ■ Long Nose Locking Pliers with Wire Cutters

- Mighty CR-V jaw with cutter in design
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Nickel plated finish



| ITEM NO. | SIZE (inch) |    |    |
|----------|-------------|----|----|
| DAAS1A06 | 6           | 10 | 80 |
| DAAS1A09 | 9           | 10 | 40 |

#### ■ Sheet Metal Locking Pliers

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- Suitable for all kinds of bending and crimp edges
- Nickel plated finish



| ITEM NO. | SIZE (inch) |   |    |
|----------|-------------|---|----|
| DAAV1A08 | 8           | 1 | 30 |

#### ■ Welding Clamps

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- Nickel plated finish



| ITEM NO. | SIZE (inch) |   |    |
|----------|-------------|---|----|
| DAAT1A09 | 9           | 1 | 24 |





## Hammers & Striking Tools Series Different

types of hammers, chisels and punches for various workshop applications.

276

www.toptul.com

## HAMMERS & STRIKING TOOLS SERIES



PROFESSIONAL HAND TOOLS

HAMMERS & STRIKING TOOLS

275

## Pliers

### Curved Jaw Locking Pliers (X-Jaw Type)

- Mighty CR-V jaw
- Robust Chrome Molybdenum Steel handle
- Special X-Jaw design and mechanism grips tighter as more torque is applied to the pliers
- Self-engaging lower jaws provides much more gripping power than traditional locking pliers
- Provided maximum torque without requiring heavy input pressure
- Professional heat treated and machined
- With adjusting screw and quick release lever
- Nickel plated finish



- Combination jaw design for gripping flat, round, square and shaped objects



- New X-Jaw, diamond shaped large jaws with cross angled teeth provides much more gripping power with no slipping or stripping

| ITEM NO. | SIZE(inch) |   |    |
|----------|------------|---|----|
| DAAY1A10 | 10         | 6 | 36 |

### Curved Jaw Locking Pliers with Wire Cutters

- Mighty CR-MO jaw with cutter in design
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Nickel plated finish



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DAAQ1A10 | 10         | 10 | 40 |

### Curved Jaw Locking Pliers with Wire Cutters

- Mighty CR-V jaw with cutter in design
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Nickel plated finish



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DAAQ1A05 | 5          | 10 | 80 |
| DAAQ1A07 | 7          | 10 | 40 |

### Straight Jaw Locking Pliers

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- With adjusting screw and quick release lever
- Nickel plated finish



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DAAR1A10 | 10         | 10 | 40 |

### Straight Jaw Locking Pliers

- High quality, mighty CR-V jaw
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- With adjusting screw and quick release lever
- Nickel plated finish



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DAAR1A07 | 7          | 10 | 40 |

### Curved Jaw Locking Pliers with Wire Cutter

- Mighty CR-V jaw with cutter in design
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- With adjusting screw and quick release lever
- Nickel plated finish



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DAAQ2B07 | 7          | 10 | 40 |
| DAAQ2B10 | 10         | 10 | 40 |

### Straight Jaw Locking Pliers

- High quality, mighty CR-V jaw
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- With adjusting screw and quick release lever
- Nickel plated finish



| ITEM NO. | SIZE(inch) |    |    |
|----------|------------|----|----|
| DAAR2B07 | 7          | 10 | 40 |
| DAAR2B10 | 10         | 10 | 40 |